

Toothache

A toothache is pain felt in or around a tooth caused by tooth decay, infection, earache, sinus infection or injury to the jaw joint.

Signs of a Toothache

- Pain with chewing
- Bleeding or foul tasting discharge
- Swelling of the gums or jaw
- Redness of the gums or jaw
- Hot or cold pain with food or drinks

Your Care

Make an appointment with a dentist if you have:

- A toothache longer than 1 or 2 days
- A fever, earache or pain when opening your mouth

Ask your dentist about an over the counter pain medicine to take to ease your pain while you wait for your appointment. Do not take aspirin or products with aspirin. Avoid eating very hot or cold foods. It may help to bite down on a cotton ball soaked in oil of cloves. This can be purchased at most pharmacies.

The dentist will examine your mouth and do x-rays. The dentist will then repair or remove the tooth. Pain medicine or antibiotics may be prescribed. Take your medicines as ordered.

Dolor de diente

Un dolor de diente es el que se siente dentro o alrededor de un diente y es causado por caries, infección, dolor de oídos, sinusitis o una lesión en la articulación de la mandíbula.

Síntomas de un dolor de diente

- Dolor al masticar
- Sangrado o secreción con mal sabor
- Hinchazón de la encía o la mandíbula
- Enrojecimiento de la encía o la mandíbula
- Dolor al consumir alimentos o bebidas calientes o fríos

Su cuidado

Haga una cita con un dentista si tiene:

- Un dolor de diente que dura más de 1 ó 2 días
- Fiebre, dolor de oído o dolor al abrir la boca

Pregúntele a su dentista qué medicamento de venta sin receta puede tomar para aliviar el dolor mientras llega el día de la cita. No tome aspirinas ni ningún medicamento que contenga aspirina. Evite consumir alimentos muy fríos o muy calientes. Puede ayudarle morder un algodón impregnado en aceite de clavo de olor, puede conseguirlo en cualquier farmacia.

El dentista le revisará la boca y sacará radiografías. Luego procederá a restaurar o extraer el diente. Es posible que le recete analgésicos o antibióticos. Tome sus medicamentos como se le indique.

How to Prevent Toothaches

Most dental problems such as a toothache can be prevented with good mouth care.

- Brush your teeth with fluoride toothpaste, floss and use mouthwash each day.
- See a dentist to have your teeth checked every six months.

Call 911, if you have jaw or tooth pain with chest pain. This could be a sign of a heart attack.

Cómo prevenir los dolores de diente

La mayoría de los problemas dentales, como un dolor de diente, pueden evitarse con un buen cuidado de la boca.

- Cepílese los dientes con pasta dental que contenga flúor, use el hilo dental y enjuague bucal todos los días.
- Acuda a un dentista cada seis meses para que le revise los dientes.

Llame al 911 si siente un dolor en la mandíbula o en un diente y tiene además dolor en el pecho. Podría ser señal de un ataque al corazón.

2007 – 9/2011 Health Information Translations

Unless otherwise stated, user may print or download information from www.healthinfotranslations.org for personal, non-commercial use only. The medical information found on this website should not be used in place of a consultation with your doctor or other health care provider. You should always seek the advice of your doctor or other qualified health care provider before you start or stop any treatment or with any questions you may have about a medical condition. The Ohio State University Medical Center, Mount Carmel Health System, OhioHealth and Nationwide Children's Hospital are not responsible for injuries or damages you may incur as a result of your stopping medical treatment or your failure to obtain medical treatment.

Toothache. Spanish.